

nora[®]
by Interface[®]

QUICKSHIP

**MADE
FOR
YOUR
DEADLINE**



MADE FOR SIMPLE SELECTION

Flooring you need, fast.

You need more than a floor. You need a supportive space that works to improve operations, efficiencies, health, safety and wellness. Made to the highest standards of quality, durability and service, nora® rubber flooring drastically reduces maintenance and noise, provides added comfort underfoot and delivers performance that lasts for decades.



QuickShip 2 Weeks

Available to ship within 10 business days, the nora® QuickShip program offers an array of norament® and noraplan® products in a variety of

color and product combinations, including ESD flooring, stair tread, weld, and cove base options.

MADE FOR MORE™





PRODUCT NORAMENT 825 ROUND COLOR 0882 PLATINUM GREY

norament® **825 round**

Rubber tile flooring with monochrome color and a classic round pastille surface for use in heavy traffic areas.



0884 DUST GREY



0882 PLATINUM GREY



0749 STONE GREY



0716 SLATE GREY



0702 BLACK

Available as norament round stairtreads

norament **825 round**

5


Art. 1902

501 mm x 501 mm (~19.72 in x 19.72 in)

27.5 mm (~1.08 in) | ~0.5 mm | ~2.7 mm | ~3.2 mm

norament **castello™**

Rubber tile flooring with a lightly marbled pattern and a two-tone surface for maximum demands. Like stone, no two tiles look the same, offering wide scale variation for a natural aesthetic in large, open spaces.



5355 PALAZZO



5354 MANOR

Variations in color and design, even within one production batch, define the product's aesthetic character.

norament **castello**

2

Art. 3167

1004 mm x 1004 mm (~39.53 in x 39.53 in)

~3.5 mm




PRODUCT NORAMENT CASTELLO COLOR 5355 PALAZZO




norament® grano™


Rubber tile flooring combining a rich, contrasting granular design with a hammered surface for use in extremely heavy traffic areas. Select colors available as norament® grano™ ed - electrostatically dissipative flooring for optimum ESD protection of electronic devices and equipment. Both options resist most oils and greases and are suitable for forklift truck areas.




5301 WHITE FIR




5302 ANGELICA ROOT




5303 FRANKINCENSE




5304 BLACK PEPPER




5306 CAMPHOR




5319 SPIKENARD



5320 SASSAFRAS



5329 BERGAMOT



5332 GERANIUM

Available as norament grano stairtreads

Note: Stair tread colors 5303 and 5304 can be supplied with textured visually impaired strips in color 8015 Black.

norament grano

9

Art. 1880

1004 mm x 1004 mm (~39.53 in x 39.53 in)



norament grano ed

3

Art. 1880


1002 mm x 1002 mm (~39.45 in x 39.45 in)






norament® **satura™**


Rubber tile flooring with a tone-on-tone granular design and a hammered surface for use in extremely heavy traffic areas.




5110 ARA



5111 CASTOR



5107 CALLISTO



5116 ARCTURUS



PRODUCT NORAMENT SATURA COLOR 5110 ARA

© Enrique Samson

Available as norament satura stairtreads

norament satura

4

Art. 1880

1004 mm x 1004 mm (~39.53 in x 39.53 in)



~3.5 mm




noraplan® convia™

Rubber tile flooring with a solid base color, dirt-concealing neutral granules and a smooth surface for use in heavy traffic areas.



7360 STONE KHAKI



7355 SILVER SAND




7356 SHALE



7352 LAVA ROCK



7366 PATINA GREEN



7370 PIGEON BLUE

noraplan convia



Art. 270F

□ 610 mm x 610 mm (~24.015 in x 24.015 in)

~2 mm




noraplan® environcare™

Rubber sheet flooring with characteristic granules and a changing base color that consists of three harmoniously matched color components. Offered in a smooth surface and suitable for use in heavy traffic areas.


3 mm Color Range



7031 BASEBALL GAME



7035 SNOW SHOETING



7036 CLAM BAKE



7051 SNOWBALL FIGHT




7052 SLEDDING



7053 POT LUCK



7061 FARMERS MARKET




7065 POOL PARTY

noraplan environcare 3 mm



Art. 1463

12 m x 1.22 m (~39.37 ft x 48 in)



7073 APPLE PICKING

2 mm Color Range

noraplan environcare 2 mm



Art. 1462

15 m x 1.22 m (~49.21 ft x 48 in)



7031 BASEBALL GAME



7032 SLEIGH RIDE



noraplan® **sentica™**

Rubber sheet flooring in a tone-on-tone design with harmoniously matched color components and a smooth surface for use in heavy traffic areas.

3 mm Color Range




6505 SILK



6506 CASHMERE




6520 SNOW DAY



6524 FROST BITE



6525 OCEAN MIST




6526 MOUNTAIN AIR

noraplan sentica 3 mm
6

Art. 1701
12 m x 1.22 m (~39.37 ft x 48 in)



2 mm Color Range



6520 SNOW DAY

noraplan sentica 2 mm
1

Art. 1700
15 m x 1.22 m (~49.21 ft x 48 in)






PRODUCT NORAMENT SATURA STAIRTREADS COLOR 5110 ARA


norament® stairtreads

Our one-piece stair coverings include stair nosing, riser and tread and are built to fit straight steps with an angled edge. norament stairtreads are designed to withstand extremely heavy traffic while maintaining their good looks. They are installed with nora® stepfix™ 240 double-sided dry adhesive tape—an immediate trafficking solution for an all-around fast turnover.

norament grano stairtreads



5303 FRANKINCENSE




5304 BLACK PEPPER

Note: Can be supplied with textured visually impaired strips in color 8015 Black.

norament grano stairtreads


Art. 479 - width 1285 mm (~50.59 in)




norament satura stairtreads



5110 ARA




5107 CALLISTO




5116 ARCTURUS

norament satura stairtreads

Art. 479 - width 1285 mm (~50.59 in)



norament round stairtreads



0884 DUST GREY



0882 PLATINUM GREY




0749 STONE GREY



0716 SLATE GREY

norament round stairtreads

Art. 465 - width 1285 mm (~50.59 in)







0702 BLACK



nora® cold weld

nora® 1-component cold weld was developed for use with nora rubber floor coverings. In general, nora flooring does not require welding as it does not contain phthalate plasticizers and does not shrink after installation. Unless specified, welding of norament and noraplan flooring is optional. It is recommended for special applications such as installation on moisture-sensitive subfloors, areas with permanent intensive wet cleaning, operating rooms and other areas with specific hygienic requirements, and vertical external corners.

 0702	 0716	 0749	 0882
 0884	 1253	 2382	 2666
 2781	 2897	 2931	 4881
 5107	 5110	 5111	 5116
 5121	 5301	 5302	 5303
 5306	 5319	 5354	 5355
 6505	 6506	 6520	 6524
 6525	 6708	 7052	 7053
 7061	 7065	 7073	

nora cold weld




Art. 928
300 ml (10 fl oz)
~50-60 LF per unit


Note: please remember, we have joint cutters, spatulas and cold weld tape available for order.

nora[®] sanitary base

Made to match the respective floor coverings, our rubber sanitary cove base is easy to clean and suitable for areas with stringent hygienic requirements. It is impact and shock resistant, does not contain phthalate plasticizers and retains its functional reliability for many years.



S 3019 D
For floor covering thickness from 3 to 3.5 mm (~.12 in to .14 in)



nora sanitary base



Art. 817 - S 3019 D
Piece Length: 10 m (~32.81 ft)

Conforms to ASTM F1861 - Standard Specification for Resilient Wall Base, Type TP: Thermoplastic Rubber, Group 1

Service Level Promise

- Timing: Ships within 10 business days
- Maximum Order Quantities
 - noraplan and norament flooring (field colors): up to 600 m² (~6,458 SF)
 - noraplan and norament flooring (accent colors): up to 100 m² (~1,076 SF)
 - norament stairtreads: up to 75 pieces
 - nora cold weld: up to 15 units
 - nora sanitary base: up to 5 rolls
- Minimum Order Quantities
 - noraplan rolls: one roll
 - noraplan tiles: one box
 - norament tiles: one tile
 - norament stairtreads: one piece
 - nora cold weld: one unit
 - nora sanitary base: one roll
- Product sizes standard as published; no cutting
- Except where noted, norament stairtreads are 4 ft standard treads only; no routing or VI
- No overages
- No holds
- No allocations to an order for more than 48 hours
- Inventory allocated upon credit approval
- Consider transit times for shipments to Canada and Latin America



Up to 600 m² of field colors or up to 100 m² of accent colors ship within 10 business days

Product Name	Article Number	Color	Size	Field or Accent
norament 825 round	1902	0702 Black	501 x 501 mm	Field
	1902	0716 Slate Grey	501 x 501 mm	Field
	1902	0749 Stone Grey	501 x 501 mm	Field
	1902	0882 Platinum Grey	501 x 501 mm	Field
	1902	0884 Dust Grey	501 x 501 mm	Field
norament castello	3167	5354 Manor	1004 x 1004 mm	Field
norament grano	3167	5355 Palazzo	1004 x 1004 mm	Field
norament grano ed	1880	5301 White Fir	1004 x 1004 mm	Field
	1880	5302 Angelica Root	1004 x 1004 mm	Field
	1880	5303 Frankincense	1004 x 1004 mm	Field
	1880	5304 Black Pepper	1004 x 1004 mm	Field
	1880	5306 Camphor	1004 x 1004 mm	Field
	1880	5319 Spikenard	1004 x 1004 mm	Accent
	1880	5320 Sassafras	1004 x 1004 mm	Accent
	1880	5329 Bergamot	1004 x 1004 mm	Accent
	1880	5332 Geranium	1004 x 1004 mm	Accent
	norament satura	1880	5301 White Fir	1002 x 1002 mm
norament satura	1880	5304 Black Pepper	1002 x 1002 mm	Field
	1880	5306 Camphor	1002 x 1002 mm	Field
	1880	5107 Callisto	1004 x 1004 mm	Field
norament satura	1880	5110 Ara	1004 x 1004 mm	Field
	1880	5111 Castor	1004 x 1004 mm	Field
	1880	5116 Arcturus	1004 x 1004 mm	Field
norament grano stairtread VI	479	5303 Frankincense VI 8015 Black	1285 mm	up to 75 pieces
	479	5304 Black Pepper VI 8015 Black	1285 mm	up to 75 pieces
norament grano stairtread	479	5303 Frankincense	1285 mm	up to 75 pieces
	479	5304 Black Pepper	1285 mm	up to 75 pieces
norament round stairtread	465	0702 Black	1285 mm	up to 75 pieces
	465	0716 Slate Grey	1285 mm	up to 75 pieces
	465	0749 Stone Grey	1285 mm	up to 75 pieces
	465	0882 Platinum Grey	1285 mm	up to 75 pieces
	465	0884 Dust Grey	1285 mm	up to 75 pieces
norament satura stairtread	479	5107 Callisto	1285 mm	up to 75 pieces
	479	5110 Ara	1285 mm	up to 75 pieces
	479	5116 Arcturus	1285 mm	up to 75 pieces



Up to 600 m² of field colors or up to 100 m² of accent colors ship within 10 business days

Product Name	Article Number	Color	Thickness	Field or Accent	
noraplan convia	270F	7352 Lava Rock	610 x 610 mm	Field	
noraplan convia	270F	7355 Silver Sand	610 x 610 mm	Field	
	270F	7356 Shale	610 x 610 mm	Field	
	270F	7360 Stone Khaki	610 x 610 mm	Field	
	270F	7366 Patina Green	610 x 610 mm	Accent	
	270F	7370 Pigeon Blue	610 x 610 mm	Accent	
	noraplan environcare	1462	7031 Baseball Game	15 m x 1.22 m	Field
noraplan environcare	1462	7035 Snow Shoeing	15 m x 1.22 m	Field	
	1463	7036 Clam Bake	12 m x 1.22 m	Field	
	1463	7051 Snowball Fight	12 m x 1.22 m	Field	
	1463	7052 Sledding	12 m x 1.22 m	Field	
	1463	7053 Pot Luck	12 m x 1.22 m	Field	
	1463	7061 Farmers Market	12 m x 1.22 m	Accent	
	1463	7065 Pool Party	12 m x 1.22 m	Accent	
	1463	7073 Apple Picking	12 m x 1.22 m	Accent	
	noraplan sentica	1700	Snow Day	15 m x 1.22 m	Field
	noraplan sentica	1701	Silk	12 m x 1.22 m	Field
1701		Cashmere	12 m x 1.22 m	Field	
1701		Snow Day	12 m x 1.22 m	Field	
1701		Frost Bite	12 m x 1.22 m	Field	
1701		Ocean Mist	12 m x 1.22 m	Field	
1701	Mountain Air	12 m x 1.22 m	Field		

QUICKSHIP

LIST



Product Name	Article Number	Color	Size	Service Level Promise
nora cold weld	0928	0702	300 ml (~10 fl oz)	up to 15 units
	0928	0716	300 ml (~10 fl oz)	up to 15 units
	0928	0749	300 ml (~10 fl oz)	up to 15 units
	0928	0882	300 ml (~10 fl oz)	up to 15 units
	0928	0884	300 ml (~10 fl oz)	up to 15 units
	0928	1253	300 ml (~10 fl oz)	up to 15 units
	0928	2382	300 ml (~10 fl oz)	up to 15 units
	0928	2666	300 ml (~10 fl oz)	up to 15 units
	0928	2781	300 ml (~10 fl oz)	up to 15 units
	0928	2897	300 ml (~10 fl oz)	up to 15 units
	0928	2931	300 ml (~10 fl oz)	up to 15 units
	0928	4881	300 ml (~10 fl oz)	up to 15 units
	0928	5107	300 ml (~10 fl oz)	up to 15 units
	0928	5110	300 ml (~10 fl oz)	up to 15 units
	0928	5111	300 ml (~10 fl oz)	up to 15 units
	0928	5116	300 ml (~10 fl oz)	up to 15 units
	0928	5121	300 ml (~10 fl oz)	up to 15 units
	0928	5301	300 ml (~10 fl oz)	up to 15 units
	0928	5302	300 ml (~10 fl oz)	up to 15 units
	0928	5303	300 ml (~10 fl oz)	up to 15 units
	0928	5306	300 ml (~10 fl oz)	up to 15 units
	0928	5319	300 ml (~10 fl oz)	up to 15 units
	0928	5354	300 ml (~10 fl oz)	up to 15 units
	0928	5355	300 ml (~10 fl oz)	up to 15 units
	0928	6505	300 ml (~10 fl oz)	up to 15 units
	0928	6506	300 ml (~10 fl oz)	up to 15 units
	0928	6520	300 ml (~10 fl oz)	up to 15 units
	0928	6524	300 ml (~10 fl oz)	up to 15 units
	0928	6525	300 ml (~10 fl oz)	up to 15 units
	0928	6708	300 ml (~10 fl oz)	up to 15 units
	0928	7052	300 ml (~10 fl oz)	up to 15 units
	0928	7053	300 ml (~10 fl oz)	up to 15 units
	0928	7061	300 ml (~10 fl oz)	up to 15 units
	0928	7065	300 ml (~10 fl oz)	up to 15 units
	0928	7073	300 ml (~10 fl oz)	up to 15 units



Product Name	Article Number	Color	Thickness	Service Level Promise
nora sanitary	0817	2945	10 m (~32.81 ft)	up to 5 rolls
base	0817	5111	10 m (~32.81 ft)	up to 5 rolls
(S 3019 D)	0817	5303	10 m (~32.81 ft)	up to 5 rolls
	0817	5304	10 m (~32.81 ft)	up to 5 rolls
	0817	5306	10 m (~32.81 ft)	up to 5 rolls
	0817	5319	10 m (~32.81 ft)	up to 5 rolls
	0817	6505	10 m (~32.81 ft)	up to 5 rolls
	0817	6506	10 m (~32.81 ft)	up to 5 rolls
	0817	6524	10 m (~32.81 ft)	up to 5 rolls
	0817	7035	10 m (~32.81 ft)	up to 5 rolls
	0817	7036	10 m (~32.81 ft)	up to 5 rolls
	0817	7052	10 m (~32.81 ft)	up to 5 rolls

QUICKSHIP

LIST

WHY nora® RUBBER FLOORING?



Reduced Maintenance

Little more than water needed - no finishes, coatings or harsh chemicals necessary.



Quiet Acoustical Performance

Attenuate noise pollution.



Ergonomic Design

Add comfort underfoot, reducing foot and leg pain.



Durable Surface

Withstand extreme stress from heavy rolling loads and wheeled traffic.



Superior Slip Resistance

Help to create safer spaces.



Supports Infection Control

Disinfect thoroughly due to a dense, non-porous surface.

Integrated System

nora and Interface cover every area of your building – all from a single source. Create harmonious, space-specific design with our system of soft and resilient floor coverings, including special floorings, stair treads and accessories.

Outstanding Service

From design to post-installation, we have the experts to support your project at every step and can even be a valued resource for your organization's sustainability mission.

nora.com

- Find the right floor for your project with nora Flooring Finder
- Design your floor with the nora Room Designer
- Find technical and environmental documents


For additional information regarding usage in recommended applications, contact us or visit nora.com.

Order Samples

Call 1.800.332.NORA

Email your sales rep or customer support specialist

SUSTAINABILITY VERIFICATIONS



Cradle to Cradle Certified®

Certification of whether a product is safe, circular and responsibly made. Applies to nora 926 and 913 compound floor coverings and stair treads.



GREENGUARD Gold

All nora floor coverings & adhesives are certified for low VOC emissions.



Environmental Product Declaration (EPD)

A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified. Applies to nora 926 and 913 compound floor coverings and stair treads, and ESD and acoustic floor coverings.



Health Product Declaration (HPD)

A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern. Applies to nora 926 and 913 compound floor coverings and stair treads, and ESD floor coverings.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and limited warranty information, please see nora.com.

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.



PLEASE RECYCLE

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

nora systems, Inc.
9 Northeastern Blvd.
Salem, NH 03079
T: 800.332.NORA
T: 603.894.1021
info-us@nora.com
www.nora.com